

Patient Contact Information

PLEASE COMPLETE THE FOLLOWING INFORMATION ACCURATELY INORDER TO BOOK YOUR APPOINTMENTS FASTER

Patient First Name:	Patient Last Name:					
Patient Date of Birth (MM/DD/YYYY):						
Address:						
Cell Phone:	Home number:					
Alternate Cell Phone:	Emergency Number:					
Email Address:						
Alternate Email:						
Preferred Mode of Contact:						
Relationship to Patient:						
Parent/ Guardian Name:						
Health card Information:						
MB- PHIN (9-Digits)						
MB- MHSC (6-Digits)						

Other Province (including letters)

CONSENT TO PROCEDURE / TREATMENT / INVESTIGATION

	hereby authorize and request Dr.	
Along with any assistant necessary, to perform ANESTHETIC	upon me the following operation(s): REST	ORATIVE DENTAL WORK UNDER GENERAL
I understand that the nature and purpose of the	above-mentioned procedure(s) is/are to:	TO RELIEVE DISCOMFORT / PAIN
I also authorize Dr may be advisable for my well-being.	to do any therapeutic procedure	or investigation that in their judgement
I acknowledge that I have been advised that I w (proficient in doing the procedure) operates as i	- '	-
The nature of the planned operation has been to other alternate methods. I understand that the guarantees have been made about the results inherent in the operation have been explained to	practice of medicine and surgery is not ar of the operation or procedure planned. Fu	exact science and I acknowledge that no
I further give permission to have such anestheti necessary or advisable.	cs administered to as Dr.	or the anesthetist deem
Pictures may be taken of the treatment site for r property of the attending physician. I do not agrunderstand that my name and identity will be ke	ee to allow these pictures to be used for p	
I agree to keep the office of Dr. instructions given for my post-operative care.	informed of my post-op	perative progress and I agree to cooperate with
In the event that a health care provider experied drawn and tested for transmissible infections (H results will be made known both to myself and the substitution of t	lepatitis B, Hepatitis C, Human Immunode	
I have read the above form, and understandi	ing its contents, I consent to this surgio	cal procedure.
Signature of Patient or Legal Guardian		
Name (Please Print)		
Relationship (if legal guardian)		
Witness	Date	
I hereby acknowledge receiving a copy of the p and restrictions given and agree to abide by the acute pain occurs after my discharge from Gree	em. I will notify my doctor immediately if a	
Signature of responsible party	Date	
Witness		



PEDIATRIC PRE-OPERATIVE ASSESSMENT							
Patient Name	Date of	f Birth					
Parent / Guardian Name	eParent / Guardian Signature						
Has your child been seen or t	reated in a hospital? Yes	No □					
If yes, please describe							
	Any complications? Yes	No 🗆					
If yes, please describe							
Has your child eve	er had an anesthetic? Yes	No □					
Did your child have any problem	s with an anesthetic? Yes	No 🗆					
If yes, please describe							
Has someone in your family had a problem	with an anesthetic? Yes	No 🗆					
	d have any allergies? Yes	No 🗆					
If yes, please describe							
Was an allergy due to: a) medicine?	Yes No	If yes, please describe					
b) food?	Yes No	If yes, please describe					
b) other?	Yes No 🗌	If yes, please describe					
If your child has an allergy, do they have:	a) rash or hives?	Yes No No					
	b) trouble breathing?	Yes No No					
	c) high fever?	Yes No No					
Has your child had a cold or cough in the past week	Yes No No	If yes, please describe					
Has your child been exposed to any infectious disea	ases in the past month? (e.g., cl	hicken pox, measles, etc.)					
If yes, please list							
Does your child have: a) breathing problems?	Yes No	If yes, please describe					
b) heart problems?	Yes No 🗆	If yes, please describe					
c) seizure disorder?	Yes No 🗌	If yes, please describe					
d) developmental delay?	Yes No .	If yes, please describe					
e) diabetes?	Yes No	If yes, please describe					
f) other?	Yes No 🗌	If yes, please describe					
Is your child receiving any medication now?	Yes No	If yes, please list					
Does your child or anyone in the family have a bleed	ding problem?	Yes No					
If yes, please list							



Important things to Note

Location of Surgery	246 Portage Avenue, Winnipeg, MB R3C 0B1						
Contact Person	Revathy (Surgical Consultant)						
Contact Number	Office : 204-779-7779	Direct: 431-688-3707	Fax: 204-594-5768				
Email Address	revathy@greenwoodsdental.com						

- We request you to arrive at least 30 minutes prior your scheduled appointment
- Please note that arrival time and surgery time are subject to change if the facility makes changes to the slate.
- Unless arrangements have been made by your insurance(s), all overdue balances are required one week prior to surgery.
- Please plan to have an escort before and after your appointment once a discharge time has been arranged.
- We also provide <u>city wide shuttle service</u> for our surgery patients.
- o Payment options: In Office
 - Via DEBIT or Cash or CREDIT
 - 3% sur charge is applied to all credit card transactions
 - No PERSONAL CHEQUES are acceptable
- A \$500 RETAINER FEE will be applied to your account for cancelling the surgical appointment without sufficient notice or missed appointment.
- If any fax needs to be sent to the transportation office for confirming the appointment,
 please advise our surgical consultant while booking the appointment.
- NOTE: if your escort doesn't accompany you or leave mid-way, PATIENT HAS TO PAY
 \$1000 IMMEDIATELY to provide a HEALTH CARE AID after recovery.



PEDIATRIC GENERAL ANESTHESIA PRE-OPERATIVE INSTRUCTION

It is important for your child's safety that you follow these instructions carefully Surgery may be cancelled if these instructions are not followed

Arriving at the appointment	We request you to <u>arrive at least 30 minutes prior</u> to your scheduled appointment time. A parent or guardian should accompany the child and must remain in the clinic until the treatment is complete.
Medications	Some medicines should be taken, and others should not. It is important to discuss this with your dentist during the consultation appointment prior to surgery. Patients should take their usual medications with a sip of water on the morning of their surgery.
Food and beverage	 It is extremely important that your child has an empty stomach when given an anesthetic. It will reduce the danger of vomiting and inhaling stomach contents into lungs while your child is asleep. You must follow these instructions, or the procedure will be cancelled to ensure safety. We request no solid foods or unclear fluids (orange juice, milk, etc.) are ingested after midnight the night prior to the appointment. This fasting is for your child's safety. A staff member will be contacting you no longer than 48 hours prior to the appointment to go over these instructions as well as to confirm the appointment prior, we will cancel the appointment
Personal	 We recommend your child come in comfortable, loose fitter clothing pajamas, track/sweatpants, and a t-shirt). If you are bringing a young child, please do not dress them in on piece clothing. We also recommend older clothing, as they may get stained or dirty during the procedure and recovery with blood or fluids. We often recommend a second set of clothing because it is possible, they might have an accident. If your child wears diapers or pull-ups make sure they are fresh and bring a backup pair.
Change in health status	If there are any changes in the child's health, such as a chest cold or fever the day of the treatment, please contact our office immediately.
Activities	Do not plan activities for the child after the treatment. Your child will likely want to rest upon returning home. Do not send your child to school or plan for activities. Please monitor your child throughout the day following the surgery.

PEDIATRIC GENERAL ANESTHESIA POST-OPERATIVE INSTRUCTION

Discharge

- We prefer that two adult accompany the child home in case the child needs assistance during the transport. Ensure that a responsible adult accompanying the child can drive or hire a taxicab.
- Public transportation is not acceptable. We also recommend bringing a plastic bag for the ride home in case of any nausea or vomiting following the surgery.

Food & Beverage

- To assist your child in a speedy recovery, it is important for your child to be well-hydrated after treatment. The first drink should be plain water then clear sweet drinks can be given. Things like clear juices, Gatorade, etc.
- Warm soft food may be taken when desired and in small portions such as Jell-o, pudding, soup, mashed potatoes, or ice cream. Do not encourage eating too soon because your child's stomach may be upset.
- If your child sleeps for a few hours, wake them up to give liquids. Nausea and vomiting are not uncommon after surgery. Gravel suppositories work very well for postoperative vomiting, if vomiting persists, contact the dentist or anesthesiologist.

Mouth numbness/ Persistent Cough

Your child's cheeks, lips and tongue may be numb after treatment. Please watch your child carefully for several hours to make sure they don't bite the cheeks, lips, or tongue. The anesthetic gas used is very dry and sometimes irritating. This may cause hoarseness or a croupy cough. Either of these conditions should pass within the first day.

Pain Management

Children's Acetaminophen (e.g., Tylenol) or Ibuprofen (e.g., Advil or Motrin) every 6-8 hours (if not allergic) will help alleviate discomfort and sore gums. Occasional postoperative fever may be managed with Acetaminophen.

Post-Dental Care

- If your child received any stainless-steel crowns, the gums will be especially sore, because they fir below the gums. These crowns will fall out with the baby tooth when the permanent/adult tooth comes in.
- we recommend avoiding sticky foods until the crown has come out. If your child has
 had crowns or space maintainers placed, please do not allow toffee, gum, liquorish, or
 ice chewing to prevent displacing or distorting them. If your child received a
 permanent stainless-steel crown, please discuss care options with the dentist.
- If your child had teeth removed, it is important to avoid spitting or using a straw for at least 24 hours. Any bleeding can be controlled by biting (not chewing) firmly on gauze pads placed overt the surgery site for at least twenty minutes. Your doctor may recommend an appointment for a postoperative visit within two to four weeks.

Contact Us

If your child experiences **elevated fever**, **sever bleeding of gums**, **severe pain**, **severe vomiting**, **or severe dizziness** for more than 24 hours following their appointment, please call the dentist **at (204) 779-7779**. If your child has any of these symptoms during the evening or when the office is closed, please go to your nearest emergency room.



PEDIATRIC PRE-OPERATIVE ASSESSMENT							
This form is to be completed by a	Physician.						Fax (204) 594-5768
Name		(Gender		Date		
Date of Birth		1	Email				
Phone (Home)		I	Phone (C	ell)	Phone	e (Other)	
Street Address		(City	Province	Posta	l Code	
P.H.I.N.		I	M.H.S.C.				
				PATIENT DEMOGRAPHICS			
Date of Birth	Ex-Prem	Yes,	No 🗌	Gestational Age at Birth	Weeks	Hospital	
Summary of Past and Current N	Medical / Sur	gery P	roblems	(severity and treatment)			
Precaution Alert(s)	Methicillin F	Resistan	t Stanhyli	ococcus Aureus (MRSA +)	Other		
Review of Systems	Wichinomini	toolotan	it Otapriyi	witter (
Neview of Systems							
Other (including Family History of	Anesthetic F	Problem	s)				
Medications:	Current: _						
	_						
	Other: _						
Allergies: eg. Latex, Drugs, Food	Type			Rea	ction		
		-					

				PEDIATRIC PI	REOPERATIVE .	ASSESSI	MENT							
This form is to be completed by a Physician.														
Physical Exam														
Weight	Height		_Temp	н	IR	BP			SpO2			RR		_
	N	AbN		Explain if Abr	normal		Guide	elines	for Preop	erative T	esting	in Chile	dren	
Airway / Neck						4	A. He	emogl	obin					
•								1.	Infants <	1 year				
CVS								2.	Patients (i.e. affro on history)	at risk for caribbeans	r hemo , hemop	globinop hiliacs, po	oathy ositive family	
								3.	Patients (e.g. cong fibrosia, c chemothe	enital hear hronic ren	rt. rheun	natoid art	hritis, cystic	
Respiratory								4.	Surgery s	SS		potentia	significant	
Abdomen									- - - -	cleft pala craniofa burn gra	ate cial repa afting thopedio steotom	ir c procedu	res: scoliosis	
Neuro								5.	History a	cardiac	procedu		stive of	
Spine									- - -	signific pregna	insuffic ant der incy	ciency (e		
Musculoskeletal							su	rgery i	lobin done s adequat ent change	e, provid	led the	re has b		
							В.	Sickle	Cell Pre All patier		o-Carib	bean de	scent.	
Skin							C.	Other	electrolyt		inations	s and ch	alysis, lest x-rays lical exam.	
Ourmant / Late 184		/ lm 4!												
Current / Lab Worl		_												
llb		_Sickle Cell												
Assessment / Peri	operative R	ecommenda	ations											
Date		_Physician			Contact Phone	e								

Signature